CAST IN PLACE CONCRETE				
TOP SLAB THICKNESS AND REINFORCING				
"Q"	"Т"	"X" BARS	"Y" BARS	"Z" BARS
SEE DETAIL W/5.2	SEE DETAIL W/5.2	SEE DETAIL W/5.2	SEE DETAIL W/5.2	SEE DETAIL W/5.2
4'-0"	8"	#7 © 8" C/C	#5 © 6" C/C	#5 © 6" C/C
5'-0"	9*	#7 © 7" C/C	#5 © 6" C/C	#6 6 6" C/C
6'-0"	10"	#7 © 7" C/C	#5 © 6" C/C	#6 6 6" C/C
7'-0"	11"	#7 © 7" C/C	#5 © 6" C/C	#6 © 6" C/C
8'-0"	12"	#7 © 7" C/C	#5 © 6" C/C	#6 © 6" C/C
9'-0"	13"	#7 @ 7" C/C	#5 @ 6" C/C	#6 6 6" C/C
10'-0"	14"	#7 © 6" C/C	#6 © 8" C/C	#6 0 6" C/C

CAST IN PLACE CONCRETE TOP SLAB NOTES

- 1. fc =4000 PSI. 0 28 DAYS
- 2. fy= 60,000 PSI.
- 3. TOP SLABS ARE DESIGNED FOR THE FOLLOWING CONDITIONS:

 A. H20 LOADING & 1'-0" COVER + IMPACT (WATER TABLE 4'-0" BELOW FINISHED GRADE)
 B. 5'-0" COVER & 2'-0" SURCHARGE. (WATER TABLE 4'-0" BELOW FINISHED GRADE)
- 4. CONTRACTOR MAY USE PRECAST TOP SLABS, SEE SPECIFICATIONS FOR SUBMITTAL REQUIREMENTS..
- 5. PROVIDE 5" # HOLE IN TOP SLAB CENTERED OVER VALVE OPERATING NUTS, SEE DETAIL W/5.5.
- 6. FOR ADDITIONAL INFORMATION, SEE DETAILS W/2.4, W/4.5 AND W/10.0.

WASHINGTON SUBURBAN SANITARY COMMISSION APPROVED: 7-26-21

Mill Harmur

Chief Engineer

STANDARD DETAIL

CAST IN PLACE CONCRETE TOP SLAB REINFORCING DETAILS W 5.21